



SP MINERALS

## **WHO WE ARE**

At SP Minerals, we specialize in the global trading and supply of premium-quality natural stones and industrial minerals. We are committed to sourcing the finest marble, granite, onyx, travertine, barite, iron ore, and other mineral products from trusted and reliable mining companies worldwide.

We prioritize quality assurance, ethical sourcing, and seamless logistics to ensure that our clients receive the best materials on time and at competitive prices. Whether you require luxurious marble, granite, travertine or onyx for architectural projects or high-grade barite and iron ore for industrial applications, we are your trusted partner in the international mineral trade.

## **OUR MISSION**

To source and supply the highest quality natural stones and minerals from trusted global suppliers, ensuring reliability, sustainability, and exceptional service for our clients.

## **OUR VISION**

To be a globally recognized leader in the trading of premium-quality stones and minerals, known for trust, integrity, and excellence in sourcing.

# OUR SERVICES

## GLOBAL SOURCING & PROCUREMENT

We work with a network of trusted mining companies and suppliers to procure and deliver top-quality natural stones and minerals to clients worldwide. Our sourcing strategy ensures:

- ✓ Reliable supply chains with consistent quality.
- ✓ Competitive pricing through direct supplier relationships.
- ✓ Compliance with international industry standards.

## INTERNATIONAL TRADE & LOGISTICS

We handle the global trade and export of minerals and stones, ensuring timely and efficient delivery through a well-managed supply chain. Our logistics services include:

- ✓ Bulk supply & shipment coordination for international buyers.
- ✓ Custom packaging & handling for safe transport.
- ✓ Import/export documentation assistance for seamless trade operations.

## QUALITY ASSURANCE & SUPPLIER VERIFICATION

To guarantee excellence, we:

- ✓ Work only with verified, trusted mining companies.
- ✓ Conduct quality checks and compliance verifications.
- ✓ Ensure materials meet the required industry standards.



# MARBLES COLLECTION

# OLIVIA BROWN

## TECHNICAL SPECIFICATION

Water Absorption: 0.04%

Modulus of Rupture: 13.2

Breaking Strength: 190

Resistance to Surface Abrasion: 22

Linear Thermal Expansion: 9.11

Resistance to Thermal Shock: No  
Visible Defect

Frost Resistant: No Visible Defect

## AVAILABLE SIZES (INCHES)

48 x 24

24 x 24

24 x 12

12 x 12

## SKIRTING SIZE (INCHES)

4 x 24

(CUSTOM SIZES  
AVAILABLE UPON  
REQUIREMENT)

# IMPERIAL WHITE

## TECHNICAL SPECIFICATION

Water Absorption: 0.14%  
Modulus of Rupture: 8038  
Breaking Strength: 7628  
Resistance to Surface Abrasion: 53.2  
Linear Thermal Expansion: 1074  
Resistance to Thermal Shock: No Visible Defect  
Frost Resistant: No Visible Defect

## AVAILABLE SIZES (INCHES)

48 x 24  
24 x 24  
24 x 12  
12 x 12

## SKIRTING SIZE (INCHES)

4 x 24  
(CUSTOM SIZES AVAILABLE UPON REQUIREMENT)

# TURANG WHITE

## TECHNICAL SPECIFICATION

Water Absorption: 0.10%

Modulus of Rupture: 2761

Breaking Strength: 8196

Resistance to Surface Abrasion: 11.12

Linear Thermal Expansion: 1541

Resistance to Thermal Shock: No

Visible Defect

Frost Resistant: No Visible Defect

## AVAILABLE SIZES (INCHES)

48 x 24

24 x 24

24 x 12

12 x 12

## SKIRTING SIZE (INCHES)

4 x 24

(CUSTOM SIZES  
AVAILABLE UPON  
REQUIREMENT)

# BLACK AND GOLD

## TECHNICAL SPECIFICATION

Water Absorption: 0.04%

Modulus of Rupture: 16.8

Breaking Strength: 208

Resistance to Surface Abrasion: 18.2

Linear Thermal Expansion: 12.3

Resistance to Thermal Shock: No  
Visible Defect

Frost Resistant: No Visible Defect

## AVAILABLE SIZES (INCHES)

48 x 24

24 x 24

24 x 12

12 x 12

## SKIRTING SIZE (INCHES)

4 x 24

(CUSTOM SIZES  
AVAILABLE UPON  
REQUIREMENT)





# SNOW FLAKE

## TECHNICAL SPECIFICATION

Water Absorption: 0.12%  
Modulus of Rupture: 2151  
Breaking Strength: 7576  
Resistance to Surface Abrasion:  
10.30  
Linear Thermal Expansion: 10.90  
Resistance to Thermal Shock: No  
Visible Defect  
Frost Resistant: No Visible Defect

## AVAILABLE SIZES (INCHES)

48 x 24  
24 x 24  
24 x 12  
12 x 12

## SKIRTING SIZE (INCHES)

4 x 24  
(CUSTOM SIZES  
AVAILABLE UPON  
REQUIREMENT)

# ANTIQUÉ BEIGE

## TECHNICAL SPECIFICATION

Water Absorption: 0.04%  
Modulus of Rupture: 9076  
Breaking Strength: 4148  
Resistance to Surface Abrasion:  
16.90  
Linear Thermal Expansion: 1561  
Resistance to Thermal Shock: No  
Visible Defect  
Frost Resistant: No Visible Defect

## AVAILABLE SIZES (INCHES)

48 x 24  
24 x 24  
24 x 12  
12 x 12

## SKIRTING SIZE (INCHES)

4 x 24  
  
(CUSTOM SIZES  
AVAILABLE UPON  
REQUIREMENT)

# EMERALD WHITE

## TECHNICAL SPECIFICATION

Water Absorption: 0.08%  
Modulus of Rupture: 3019  
Breaking Strength: 7246  
Resistance to Surface Abrasion:  
56.40  
Linear Thermal Expansion: 1261  
Resistance to Thermal Shock: No  
Visible Defect  
Frost Resistant: No Visible Defect

## AVAILABLE SIZES (INCHES)

48 x 24  
24 x 24  
24 x 12  
12 x 12

## SKIRTING SIZE (INCHES)

4 x 24  
  
(CUSTOM SIZES  
AVAILABLE UPON  
REQUIREMENT)

# ASH WHITE

## TECHNICAL SPECIFICATION

Water Absorption: 0.12%  
Modulus of Rupture: 4047  
Breaking Strength: 7162  
Resistance to Surface Abrasion:  
50.10  
Linear Thermal Expansion: 1316  
Resistance to Thermal Shock: No  
Visible Defect  
Frost Resistant: No Visible Defect

## AVAILABLE SIZES (INCHES)

48 x 24  
24 x 24  
24 x 12  
12 x 12

## SKIRTING SIZE (INCHES)

4 x 24  
(CUSTOM SIZES  
AVAILABLE UPON  
REQUIREMENT)



# DIOR WHITE

## TECHNICAL SPECIFICATION

Water Absorption: 0.14%  
Modulus of Rupture: 4016  
Breaking Strength: 6165  
Resistance to Surface Abrasion:  
49.61  
Linear Thermal Expansion: 1196  
Resistance to Thermal Shock: No  
Visible Defect  
Frost Resistant: No Visible Defect

## AVAILABLE SIZES (INCHES)

48 x 24  
24 x 24  
24 x 12  
12 x 12

## SKIRTING SIZE (INCHES)

4 x 24  
  
(CUSTOM SIZES  
AVAILABLE UPON  
REQUIREMENT)

# SILVER GREY

## TECHNICAL SPECIFICATION

Water Absorption: 0.19%  
Modulus of Rupture: 3190  
Breaking Strength: 5152  
Resistance to Surface Abrasion:  
18.70  
Linear Thermal Expansion: 1416  
Resistance to Thermal Shock: No  
Visible Defect  
Frost Resistant: No Visible Defect

## AVAILABLE SIZES (INCHES)

48 x 24  
24 x 24  
24 x 12  
12 x 12

## SKIRTING SIZE (INCHES)

4 x 24  
(CUSTOM SIZES  
AVAILABLE UPON  
REQUIREMENT)

# RIVER GREY

## TECHNICAL SPECIFICATION

Water Absorption: 0.08%  
Modulus of Rupture: 14.2  
Breaking Strength: 2210  
Resistance to Surface Abrasion:  
16.40  
Linear Thermal Expansion: 1463  
Resistance to Thermal Shock: No  
Visible Defect  
Frost Resistant: No Visible Defect

## AVAILABLE SIZES (INCHES)

48 x 24

24 x 24

24 x 12

12 x 12

## SKIRTING SIZE (INCHES)

4 x 24

(CUSTOM SIZES  
AVAILABLE UPON  
REQUIREMENT)

# AFYON VIOLA

## TECHNICAL SPECIFICATION

Water Absorption: 0.40%

Modulus of Rupture: 19.2

Breaking Strength: 341

Resistance to Surface Abrasion: 28

Linear Thermal Expansion: 16.30

Resistance to Thermal Shock: No

Visible Defect

Frost Resistant: No Visible Defect

## AVAILABLE SIZES (INCHES)

48 x 24

24 x 24

24 x 12

12 x 12

## SKIRTING SIZE (INCHES)

4 x 24

(CUSTOM SIZES  
AVAILABLE UPON  
REQUIREMENT)





# INDUS GOLD

## TECHNICAL SPECIFICATION

Water Absorption: 0.21%  
Modulus of Rupture: 11.2  
Breaking Strength: 152.8  
Resistance to Surface Abrasion: 10.8  
Linear Thermal Expansion: 815.40  
Resistance to Thermal Shock: No Visible Defect  
Frost Resistant: No Visible Defect

## AVAILABLE SIZES (INCHES)

48 x 24

24 x 24

24 x 12

12 x 12

## SKIRTING SIZE (INCHES)

4 x 24

(CUSTOM SIZES  
AVAILABLE UPON  
REQUIREMENT)

# COFFEE BROWN

## TECHNICAL SPECIFICATION

Water Absorption:

Modulus of Rupture:

Breaking Strength:

Resistance to Surface Abrasion:

Linear Thermal Expansion:

Resistance to Thermal Shock: No

Visible Defect

Frost Resistant: No Visible Defect

## AVAILABLE SIZES (INCHES)

48 x 24

24 x 24

24 x 12

12 x 12

## SKIRTING SIZE (INCHES)

4 x 24

(CUSTOM SIZES  
AVAILABLE UPON  
REQUIREMENT)

# BLACK AND WHITE

## TECHNICAL SPECIFICATION

Water Absorption: 0.041%  
Modulus of Rupture: 15.81  
Breaking Strength: 197  
Resistance to Surface Abrasion: 17.6  
Linear Thermal Expansion: 713.6  
Resistance to Thermal Shock: No Visible Defect  
Frost Resistant: No Visible Defect

## AVAILABLE SIZES (INCHES)

48 x 24  
24 x 24  
24 x 12  
12 x 12

## SKIRTING SIZE (INCHES)

4 x 24  
(CUSTOM SIZES  
AVAILABLE UPON  
REQUIREMENT)

# COFFEE GOLD

## TECHNICAL SPECIFICATION

Water Absorption:

Modulus of Rupture:

Breaking Strength:

Resistance to Surface Abrasion:

Linear Thermal Expansion:

Resistance to Thermal Shock: No

Visible Defect

Frost Resistant: No Visible Defect

## AVAILABLE SIZES (INCHES)

48 x 24

24 x 24

24 x 12

12 x 12

## SKIRTING SIZE (INCHES)

4 x 24

(CUSTOM SIZES  
AVAILABLE UPON  
REQUIREMENT)

# BUBBLE GREY

## TECHNICAL SPECIFICATION

Water Absorption:

Modulus of Rupture:

Breaking Strength:

Resistance to Surface Abrasion:

Linear Thermal Expansion:

Resistance to Thermal Shock: No

Visible Defect

Frost Resistant: No Visible Defect

## AVAILABLE SIZES (INCHES)

48 x 24

24 x 24

24 x 12

12 x 12

## SKIRTING SIZE (INCHES)

4 x 24

(CUSTOM SIZES  
AVAILABLE UPON  
REQUIREMENT)



# PIETRA BROWN

## TECHNICAL SPECIFICATION

Water Absorption:

Modulus of Rupture:

Breaking Strength:

Resistance to Surface Abrasion:

Linear Thermal Expansion:

Resistance to Thermal Shock: No

Visible Defect

Frost Resistant: No Visible Defect

## AVAILABLE SIZES (INCHES)

48 x 24

24 x 24

24 x 12

12 x 12

## SKIRTING SIZE (INCHES)

4 x 24

(CUSTOM SIZES  
AVAILABLE UPON  
REQUIREMENT)





SP MINERALS

# ONYX COLLECTION

# PINK ONYX

## TECHNICAL SPECIFICATION

Water Absorption: 0.91%  
Modulus of Rupture: 18.40  
Breaking Strength: 380  
Resistance to Surface Abrasion: 16.9  
Linear Thermal Expansion: 1141  
Resistance to Thermal Shock: No Visible Defect  
Frost Resistant: No Visible Defect

## AVAILABLE SIZES (INCHES)

48 x 24  
24 x 24  
24 x 12  
12 x 12

## SKIRTING SIZE (INCHES)

4 x 24  
(CUSTOM SIZES  
AVAILABLE UPON  
REQUIREMENT)



# WHITE ONYX

## TECHNICAL SPECIFICATION

Water Absorption: 0.91%  
Modulus of Rupture: 18.40  
Breaking Strength: 380  
Resistance to Surface Abrasion: 16.9  
Linear Thermal Expansion: 1141  
Resistance to Thermal Shock: No Visible Defect  
Frost Resistant: No Visible Defect

## AVAILABLE SIZES (INCHES)

48 x 24  
24 x 24  
24 x 12  
12 x 12

## SKIRTING SIZE (INCHES)

4 x 24  
(CUSTOM SIZES AVAILABLE UPON REQUIREMENT)



# MULTI BROWN ONYX

## TECHNICAL SPECIFICATION

Water Absorption: 0.91%  
Modulus of Rupture: 18.40  
Breaking Strength: 380  
Resistance to Surface Abrasion: 16.9  
Linear Thermal Expansion: 1141  
Resistance to Thermal Shock: No Visible Defect  
Frost Resistant: No Visible Defect

## AVAILABLE SIZES (INCHES)

48 x 24  
24 x 24  
24 x 12  
12 x 12

## SKIRTING SIZE (INCHES)

4 x 24  
(CUSTOM SIZES  
AVAILABLE UPON  
REQUIREMENT)



# MULTI GREEN ONYX

## TECHNICAL SPECIFICATION

Water Absorption: 0.91%  
Modulus of Rupture: 18.40  
Breaking Strength: 380  
Resistance to Surface Abrasion: 16.9  
Linear Thermal Expansion: 1141  
Resistance to Thermal Shock: No Visible Defect  
Frost Resistant: No Visible Defect

## AVAILABLE SIZES (INCHES)

48 x 24  
24 x 24  
24 x 12  
12 x 12

## SKIRTING SIZE (INCHES)

4 x 24  
(CUSTOM SIZES  
AVAILABLE UPON  
REQUIREMENT)

# TREVER ONYX

## TECHNICAL SPECIFICATION

Water Absorption: 0.91%  
Modulus of Rupture: 18.40  
Breaking Strength: 380  
Resistance to Surface Abrasion: 16.9  
Linear Thermal Expansion: 1141  
Resistance to Thermal Shock: No Visible Defect  
Frost Resistant: No Visible Defect

## AVAILABLE SIZES (INCHES)

48 x 24  
24 x 24  
24 x 12  
12 x 12

## SKIRTING SIZE (INCHES)

4 x 24  
(CUSTOM SIZES AVAILABLE UPON REQUIREMENT)





SP MINERALS

# GRANITE COLLECTION

# INDUS BLUE

## TECHNICAL SPECIFICATION

Water Absorption:

Modulus of Rupture:

Breaking Strength:

Resistance to Surface Abrasion:

Linear Thermal Expansion:

Resistance to Thermal Shock: No

Visible Defect

Frost Resistant: No Visible Defect

## AVAILABLE SIZES (INCHES)

48 x 24

24 x 24

24 x 12

12 x 12

## SKIRTING SIZE (INCHES)

4 x 24

(CUSTOM SIZES  
AVAILABLE UPON  
REQUIREMENT)

# SALEEM WHITE

## TECHNICAL SPECIFICATION

Water Absorption:

Modulus of Rupture:

Breaking Strength:

Resistance to Surface Abrasion:

Linear Thermal Expansion:

Resistance to Thermal Shock: No

Visible Defect

Frost Resistant: No Visible Defect

## AVAILABLE SIZES (INCHES)

48 x 24

24 x 24

24 x 12

12 x 12

## SKIRTING SIZE (INCHES)

4 x 24

(CUSTOM SIZES  
AVAILABLE UPON  
REQUIREMENT)



SP MINERALS

# QUARTZITE COLLECTION



# RIVER BLUE

## TECHNICAL SPECIFICATION

Water Absorption:

Modulus of Rupture:

Breaking Strength:

Resistance to Surface Abrasion:

Linear Thermal Expansion:

Resistance to Thermal Shock: No

Visible Defect

Frost Resistant: No Visible Defect

## AVAILABLE SIZES (INCHES)

48 x 24

24 x 24

24 x 12

12 x 12

## SKIRTING SIZE (INCHES)

4 x 24

(CUSTOM SIZES  
AVAILABLE UPON  
REQUIREMENT)





SP MINERALS

# TRAVERTINE COLLECTION

# LORALAI TRAVERTINE

## TECHNICAL SPECIFICATION

Water Absorption: 14%  
Modulus of Rupture: 9.6  
Breaking Strength: 770  
Resistance to Surface Abrasion: 12.9  
Linear Thermal Expansion: 1808  
Resistance to Thermal Shock: No Visible Defect  
Frost Resistant: No Visible Defect

## AVAILABLE SIZES (INCHES)

48 x 24  
24 x 24  
24 x 12  
12 x 12

## SKIRTING SIZE (INCHES)

4 x 24  
(CUSTOM SIZES  
AVAILABLE UPON  
REQUIREMENT)





SP MINERALS

## NOTE

Colour, pattern, and veining differences are inherent to marble, onyx, granite, and travertine, making each slab unique. Variations may occur between batches, and we strongly advise reviewing and matching slabs prior to purchase or installation to ensure uniformity or achieve the desired look.



SP MINERALS

# INDUSTRIAL MINERALS

# BARITE

Barite is a high-density mineral primarily composed of barium sulfate ( $\text{BaSO}_4$ ). Known for its weight, chemical stability, and non-toxicity, it is widely used across various industries.

## Key Uses:

✓ **Oil & Gas Drilling** – Used as a weighting agent in drilling mud to prevent blowouts.

✓ **Paints & Coatings** – Enhances brightness and durability.

✓ **Plastics & Rubber** – Improves strength and resistance.

✓ **Medical Applications** – Used in X-ray imaging as a contrast agent.

✓ **Glass & Ceramics** – Enhances strength and clarity.



# IRON ORE

Iron Ore is a key raw material used in the production of iron and steel, essential for global infrastructure and industrial development. It is rich in iron oxides and is processed into various forms to meet industry needs.

## Key Uses:

- ✓ **Steel Production** – The primary ingredient in making steel for construction, automobiles, and machinery.
- ✓ **Infrastructure Development** – Used in bridges, buildings, and transportation networks.
- ✓ **Manufacturing & Heavy Industry** – Essential for producing tools, equipment, and industrial machinery.
- ✓ **Powdered Iron** – Used in magnets, auto parts, and electrical components.



# COPPER

Copper is a highly conductive, durable, and corrosion-resistant metal widely used across industries for its excellent electrical and thermal properties.

## Key Uses:

- ✓ **Electrical Wiring & Electronics** – Essential for power transmission, wiring, and circuit boards.
- ✓ **Construction & Plumbing** – Used in pipes, roofing, and structural materials.
- ✓ **Automotive & Transportation** – Found in batteries, motors, and cooling systems.
- ✓ **Industrial Machinery** – Critical for manufacturing equipment and heat exchangers.
- ✓ **Coins & Alloys** – Used in currency and alloys like brass and bronze.





# COAL

Coal is a widely used natural resource, valued for its high carbon content and energy efficiency. It serves as a key fuel source for power generation and industrial applications.

## Key Uses:

- ✓ **Electricity Generation** – Primary fuel for thermal power plants.
- ✓ **Steel & Cement Production** – Used in blast furnaces and kilns.
- ✓ **Industrial Heating** – Powers factories and manufacturing processes.
- ✓ **Chemical Processing** – Produces coal-derived chemicals like tar and synthetic gas.



# QUARTZ

Quartz is a durable, crystalline mineral known for its hardness, clarity, and versatility. It is widely used across industries for its chemical stability and aesthetic appeal.

## Key Uses:

- ✓ **Construction & Countertops** – Used in engineered stone surfaces for homes and buildings.
- ✓ **Glass & Ceramics** – A key ingredient in glassmaking and ceramic production.
- ✓ **Electronics & Optics** – Essential in semiconductors, watches, and precision instruments.
- ✓ **Industrial Applications** – Used in sandblasting, filtration, and metallurgy.



# FLUORITE

Fluorite is a vibrant, translucent mineral known for its fluorescent properties, chemical stability, and industrial significance. It is widely used across multiple industries.

## Key Uses:

- ✓ **Metallurgy** – Essential in steel and aluminium production as a flux agent.
- ✓ **Glass & Ceramics** – Enhances durability and clarity in glass manufacturing.
- ✓ **Chemical Industry** – Used in the production of hydrofluoric acid.
- ✓ **Gemstone & Optics** – Valued for jewellery and high-precision optical lenses.



# CHROMITE

Chromite is a high-strength, corrosion-resistant mineral rich in chromium oxide ( $\text{Cr}_2\text{O}_3$ ), essential for industrial and metallurgical applications.

## Key Uses:

- ✓ **Stainless Steel Production** – Primary source of chromium for strength and corrosion resistance.
- ✓ **Refractory Materials** – Used in heat-resistant bricks for furnaces and kilns.
- ✓ **Chemical Industry** – Key ingredient in chromium compounds for coatings and pigments.
- ✓ **Foundry & Casting** – Used in moulds for metal casting due to its heat resistance.



# HIMALAYAN PINK SALT

Himalayan Pink Salt is a naturally mineral-rich salt, known for its distinct pink color, purity, and health benefits. Mined from ancient salt deposits, it is valued for both culinary and wellness applications

## Key Uses:

- ✓ **Culinary Use** – A natural alternative to table salt, enhancing flavor and nutrition.
- ✓ **Spa & Wellness** – Used in bath salts, scrubs, and salt therapy for relaxation.
- ✓ **Decor & Salt Lamps** – Carved into lamps and tiles for air purification and ambiance.
- ✓ **Animal Nutrition** – Added to livestock feed for essential minerals.





SP MINERALS

# CONTACT US



[www.spmines.com](http://www.spmines.com)



+92 334 3161939



[info@spmines.com](mailto:info@spmines.com)



Office No 212, Second Floor,  
Shams Chambers, Shahrah e  
Liaquat, Karachi.



SP Minerals



[spminerals](https://www.instagram.com/spminerals)